

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF MARQUARDT. WITHOUT THEIR CONSENT IT MAY NOT BE REPRODUCED OR GIVEN TO THIRD PARTIES.

CONFIDENTIAL

VERTRAULICH

Alle Rechte bei Marquardt, auch fuer den Fall von Schutzrechtsanmeldungen. Jede Verfertigungsbezugnis, wie Kopier- und Weitergaberecht, bei uns.

	1	2	3	4
A	recommended cut-out for snap-in fixing (edge opposite to snap-in direction)	wall thickness	length of cut-out	width of cut-out
		0.75 to 1.25	30.0 -0.1	11 +0.1
		1.25 to 2	30.2 -0.1	11 +0.1
		2 to 3	30.6 -0.1	11 +0.1

Marking:

Ⓜ
1833.
6(4)/250~ 5E4
10(4)/250~ T105/55

6A 125-250V AC
1/4HP 125V AC
1/2HP 250V AC
R30

SPDT
Suitable for appliances of class II

Code of manufacture: place/year/week

On box: G G=matching IEC 60335-1:2001 clause 30

-	-	-	1833.3307-XX	
Figure	Type	Customer Part No.	Art.No.-PI	
Shape and location Ⓜ ≡	Angle ± 2°	Length	Radii	
		Edge tolerance	0-6	0-6
		>6-30	>6-30	>6-30
		>30	>30	>30
		±	±	±
		±	±	±
		±	±	±
		±	±	±
		±	±	±
		±	±	±
±		±	±	
c	140315	2021-11-03	MATHPATIR	
b	79950	2012-08-13	HHE	
a	69573	2010-08-02	HHE	
	48785	2006-08-21	HHE	
Index	MEC-No.	Date (YYYY-MM-DD)	Edited by	

Sheet	01	Ident.	Document number	Index
Format	Projection	Scale	K	18333307
A4		1:1	Appliance Switch	
All dimensions are in millimetres			 MARQUARDT	
System	NX V1872			
Replacement of		Zg.gl.Nr.v.21.08.2006		